

WHAT IS CLAIMED IS:

1. An endoscope channel cap, comprising:
a first accommodating portion having a first configuration corresponding to an interface of a first endoscope; and
a second accommodating portion having a second configuration corresponding to an interface of a second endoscope, the first configuration being different than the second configuration.

2. The endoscope channel cap of claim 1, further comprising a third accommodating portion having a third configuration corresponding to an interface of a third endoscope, the first configuration and the second configuration being different than the third configuration.

3. The endoscope channel cap of claim 2, wherein the first and second accommodating portions are on a first side of the endoscope channel cap and the third accommodating portion is on a second side of the endoscope channel cap.

4. The endoscope channel cap of claim 1, wherein the first accommodating portion is on a first side of the endoscope channel cap and the second accommodating portion is on a second side of the endoscope channel cap.

5. The endoscope channel cap of claim 1, wherein the first accommodating portion is configured to receive the interface of the first endoscope

from a first side of the endoscope channel cap, and the second accommodating portion is configured to receive the interface of the second endoscope from a second side of the endoscope channel cap.

6. The endoscope channel cap of claim 1, wherein the first accommodating portion is configured to receive the interface of the first endoscope from a side of the endoscope channel cap, and the second accommodating portion is configured to receive the interface of the second endoscope from the side of the endoscope channel cap.

7. The endoscope channel cap of claim 1, wherein the first and second accommodating portions open to a same side of the cap.

8. The endoscope channel cap of claim 1, wherein the first and second accommodating portions are coaxial.

9. The endoscope channel cap of claim 1, wherein the first and second accommodating portions open to different sides of the cap.

10. The endoscope channel cap of claim 1, further comprising at least one seal configured to accommodate an endoscopic instrument therethrough.

11. The endoscope channel cap of claim 10, wherein the at least one seal is configured to receive the endoscopic instrument from either end of the at least one seal.

12. The endoscope channel cap of claim 10, wherein the at least one seal is configured to substantially prevent fluid communication therethrough.

13. The endoscope channel cap of claim 12, wherein the at least one seal is normally closed.

14. The endoscope channel cap of claim 10, wherein the at least one seal is configured to conform to an outer geometry of the endoscopic instrument extending therethrough.

15. The endoscope channel cap of claim 10, wherein the at least one seal includes a slit.

16. The endoscope channel cap of claim 10, wherein the at least one seal includes two seals each configured to accommodate the endoscopic instrument therethrough.

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

17. The endoscope channel cap of claim 16, wherein each of the at least two seals is configured to receive the endoscopic instrument from either end of the seal.

18. The endoscope channel cap of claim 1, wherein the first accommodating portion has a substantially annular shape.

19. The endoscope channel cap of claim 1, wherein the first accommodating portion has a substantially circular shape.

20. The endoscope channel cap of claim 1, further comprising a curved portion configured to be gripped.

21. The endoscope channel cap of claim 1, wherein the first accommodating portion has a guide portion.

22. The endoscope channel cap of claim 21, wherein the guide portion includes a tapered portion.

23. The endoscope channel cap of claim 1, wherein the first accommodating portion is configured to not receive the interface of the second endoscope.

24. An endoscope channel cap, comprising:

a main body defining a first space and a second space,

each of the first and second spaces being disposed inwardly from an end of the main body, and

wherein the main body includes a first flange at least partially defining the first space to aid in retaining an interface of a first endoscope and a second flange at least partially defining the second space to aid in retaining an interface of a second endoscope.

25. The endoscope channel cap of claim 24, wherein the main body further defines a third space disposed inwardly from the end of the main body, and

wherein the main body includes a third flange at least partially defining the third space to aid in retaining an interface of a third endoscope.

26. The endoscope channel cap of claim 25, wherein the first and second spaces are on a first side of the main body and the third space is on a second side of the main body.

27. The endoscope channel cap of claim 24, wherein the first space is on a first side of the main body and the second space is on a second side of the main body.

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

28. The endoscope channel cap of claim 24, wherein the first flange is configured to retain the interface of the first endoscope received from a first side of the main body and the second flange is configured to retain the interface of the second endoscope received from a second side of the main body.

29. The endoscope channel cap of claim 24, wherein the first flange is configured to retain the interface of the first endoscope received from a side of the main body and the second flange is configured to retain the interface of the second endoscope received from the side of the main body.

30. The endoscope channel cap of claim 24, wherein the first and second spaces open to a same side of the main body.

31. The endoscope channel cap of claim 24, wherein the first and second spaces are coaxial.

32. The endoscope channel cap of claim 24, wherein the first and second spaces open to different sides of the main body.

33. The endoscope channel cap of claim 24, further comprising at least one seal configured to accommodate an endoscopic instrument therethrough.

34. The endoscope channel cap of claim 33, wherein the at least one seal is configured to receive the endoscopic instrument from either end of the at least one seal.

35. The endoscope channel cap of claim 33, wherein the at least one seal is configured to substantially prevent fluid communication therethrough.

36. The endoscope channel cap of claim 35, wherein the at least one seal is normally closed.

37. The endoscope channel cap of claim 33, wherein the at least one seal is configured to conform to an outer geometry of the endoscopic instrument extending therethrough.

38. The endoscope channel cap of claim 33, wherein the at least one seal includes a slit.

39. The endoscope channel cap of claim 33, wherein the at least one seal includes two seals each configured to accommodate the endoscopic instrument therethrough.

40. The endoscope channel cap of claim 39, wherein each of the at least two seals is configured to receive the endoscopic instrument from either end of the seal.

41. The endoscope channel cap of claim 24, wherein the first space has a substantially annular shape.

42. The endoscope channel cap of claim 24, wherein the first space has a substantially circular shape.

43. The endoscope channel cap of claim 24, further comprising a curved portion configured to be gripped.

44. The endoscope channel cap of claim 24, wherein the first space has a guide portion.

45. The endoscope channel cap of claim 44, wherein the guide portion includes a tapered portion.

46. The endoscope channel cap of claim 24, wherein the first flange is not configured to retain the interface of the second endoscope.